

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	963	@ay<"2004" and ((arp or (address adj resolution adj protocol)) with (cach \$3 or buffer\$3 or stor \$3 or sav\$3))	US-PGPUB; USPAT	OR	ON	2007/12/31 22:52
L2	397	@ay<"2004" and ((arp or (address adj resolution adj protocol)) with (cach \$3 or buffer\$3 or stor \$3 or sav\$3)) and "709".clas.	US-PGPUB; USPAT	OR	ON	2007/12/31 23:19
L3	92	@ay<"2004" and ((arp or (address adj resolution adj protocol)) with (cach \$3 or buffer\$3 or stor \$3 or sav\$3)) and "709".clas. and (load adj balanc\$3)	US-PGPUB; USPAT	OR	ON	2007/12/31 23:19
L4	92	@ay<"2004" and ((arp or (address adj resolution adj protocol)) with (cach \$3 or buffer\$3 or stor \$3 or sav\$3)) and "709".clas. and (load near balanc\$3)	US-PGPUB; USPAT	OR	ON	2007/12/31 23:19
L5	30	@ay<"2004" and ((arp or (address adj resolution adj protocol)) with (cach \$3 or buffer\$3 or stor \$3 or sav\$3)) and "709".clas. and (load near balanc\$3) and counter	US-PGPUB; USPAT	OR	ON	2007/12/31 23:34

L6	0	@ay<"2004" and ((arp or (address adj resolution adj protocol)) with (cach \$3 or buffer\$3 or stor \$3 or sav\$3)) and "709".clas. and (load near balanc\$3) and counter and ((load or balanc\$3) with (threshold or ((set or predetermined) adj value)))	US- PGPUB; USPAT	OR	ON	2007/12/31 23:37
L7	1	@ay<"2004" and ((arp or (address adj resolution adj protocol)) with (cach \$3 or buffer\$3 or stor \$3 or sav\$3)) and "709".clas. and (load near balanc\$3) and ((load or balanc\$3) with (threshold or ((set or predetermined) adj value)))	US- PGPUB; USPAT	OR	ON	2007/12/31 23:37
L8	0	@ay<"2004" and "709".clas. and ((arp or (address adj resolution adj protocol)) with (cach \$3 or buffer\$3 or stor \$3 or sav\$3)) same (load near balanc\$3) and ((load or balanc\$3) with (threshold or ((set or predetermined) adj value)))	US- PGPUB; USPAT	OR	ON	2007/12/31 23:38
L9	3	@ay<"2004" and "709".clas. and ((arp or (address adj resolution adj protocol)) with (cach \$3 or buffer\$3 or stor \$3 or sav\$3)) same (load near balanc\$3) and (threshold or ((set or predetermined) adj value))	US- PGPUB; USPAT	OR	ON	2007/12/31 23:39

L10	4	((arp or (address adj resolution adj protocol)) with (cach \$3 or buffer\$3 or stor \$3 or sav\$3)) same (load near balanc\$3) and (threshold or ((set or predetermined) adj value))	US- FGPUB; USPAT	OR	ON	2007/12/31 23:55
L11	5	((arp or (address adj resolution adj protocol)) same (cach \$3 or buffer\$3 or stor \$3 or sav\$3)) same (load near balanc\$3) and (threshold or ((set or predetermined) adj value))	US- FGPUB; USPAT	OR	ON	2007/12/31 23:56
L12	2	((arp or (address adj resolution adj protocol)) same (cach \$3 or buffer\$3 or stor \$3 or sav\$3)) same (load near balanc\$3) and (threshold or ((set or predetermined) adj value)) and (counter or increment\$3)	US- FGPUB; USPAT	OR	ON	2007/12/31 23:57
L13	2	((arp or (address adj resolution adj protocol)) same (cach \$3 or buffer\$3 or stor \$3 or sav\$3)) same (load near balanc\$3) and (threshold) and (counter or increment \$3)	US- FGPUB; USPAT	OR	ON	2007/12/31 23:57
L14	0	((arp or (address adj resolution adj protocol)) same (cach \$3 or buffer\$3 or stor \$3 or sav\$3)) same (load near balanc\$3) and (threshold) and (counter or increment \$3) and (dump\$3 with (arp or (address adj resolution adj protocol)))	US- FGPUB; USPAT	OR	ON	2007/12/31 23:59

L15	1	(load near balanc\$3) and (threshold) and (counter or increment \$3) and (dump\$3 with (arp or (address adj resolution adj protocol)))	US-PGPUB; USPAT	OR	ON	2008/01/01 00:02
L16	2	(threshold) and (counter or increment \$3) and (dump\$3 with (arp or (address adj resolution adj protocol)))	US-PGPUB; USPAT	OR	ON	2008/01/01 00:02
L17	4	(dump\$3 with (arp or (address adj resolution adj protocol)))	US-PGPUB; USPAT	OR	ON	2008/01/01 00:06
S1	376	@ay<"2004" and (718/105.ccls. or "709".clas.) and (load with balanc\$3).ti.	US-PGPUB; USPAT	OR	ON	2007/12/02 16:57
S2	0	@ay<"2004" and (718/105.ccls. or "709".clas.) and (load with balanc\$3).ti. and ((dump\$3 or empty\$3) with (arp or (address adj resolution adj protocol)))	US-PGPUB; USPAT	OR	ON	2007/12/02 17:03
S3	9	@ay<"2004" and (718/105.ccls. or "709".clas.) and ((dump\$3 or empty\$3) with (arp or (address adj resolution adj protocol)))	US-PGPUB; USPAT	OR	ON	2007/12/02 17:21
S4	1	@ay<"2004" and (718/105.ccls. or "709".clas.) and (load with balanc\$3) and ((dump\$3 or empty\$3) with (arp or (address adj resolution adj protocol)))	US-PGPUB; USPAT	OR	ON	2007/12/02 17:23

S5	26	@ay<"2004" and (718/105.ccls. or "709".clas.) and (load with balanc\$3.ti. and (arp or (address adj resolution adj protocol)))	US-PGPUB; USPAT	OR	ON	2007/12/02 17:24
S6	639	@ay<"2004" and (load with balanc\$3) and (arp or (address adj resolution adj protocol)))	US-PGPUB; USPAT	OR	ON	2007/12/10 18:20
S7	155	@ay<"2004" and (load with balanc\$3) and ((dump\$3 or cach\$3 or buffer\$3 or stor\$3) with (arp or (address adj resolution adj protocol))))	US-PGPUB; USPAT	OR	ON	2007/12/10 18:21
S8	104	@ay<"2004" and (load with balanc\$3) and ((dump\$3 or cach\$3 or buffer\$3 or stor\$3) with (arp or (address adj resolution adj protocol)))) and ((determin\$3 or consider\$3 or filter\$3 or calculat\$3 or formulat\$3) with (cach\$3 or dump\$3 or buffer\$3 or stor\$3)))	US-PGPUB; USPAT	OR	ON	2007/12/10 18:22
S9	43	@ay<"2004" and (load with balanc\$3) and ((dump\$3 or cach\$3 or buffer\$3 or stor\$3) with (arp or (address adj resolution adj protocol)))) and ((determin\$3 or consider\$3 or filter\$3 or calculat\$3 or formulat\$3) with (cach\$3 or dump\$3 or buffer\$3 or stor\$3))) and threshold	US-PGPUB; USPAT	OR	ON	2007/12/10 18:24

S10	24	@ay<"2004" and (load with balanc\$3) and ((dump\$3 or cach\$3 or buffer\$3 or stor\$3) with (arp or (address adj resolution adj protocol))) and ((determin\$3 or consider\$3 or filter\$3 or calculat\$3 or formulat\$3) with (cach\$3 or dump\$3 or buffer\$3 or stor\$3)) and threshold and "709". clas.	US-PGPUB; USPAT	OR	ON	2007/12/10 18:26
S11	0	@ay<"2004" and (load with balanc\$3) and ((dump\$3 or cach\$3 or buffer\$3 or stor\$3) with (arp or (address adj resolution adj protocol))) and ((determin\$3 or consider\$3 or filter\$3 or calculat\$3 or formulat\$3) with (cach\$3 or dump\$3 or buffer\$3 or stor\$3)) and threshold and 709.223/224.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/10 19:13
S12	4	@ay<"2004" and ((load with balanc\$3) with ((dump\$3 or cach\$3 or buffer\$3 or stor\$3) with (arp or (address adj resolution adj protocol))))	US-PGPUB; USPAT	OR	ON	2007/12/10 19:18
S13	6	((load with balanc\$3) with ((dump\$3 or cach\$3 or buffer\$3 or stor\$3) with (arp or (address adj resolution adj protocol))))	US-PGPUB; USPAT	OR	ON	2007/12/17 22:13
S14	2	("6912534" "5664106").pn.	US-PGPUB; USPAT	OR	ON	2007/12/18 13:29

S15	7	("5724510" "5920699" "5909549" "6182136" "5596703" "5455952"). pn. "20030033402"	US- PGPUB; USPAT	OR	ON	2007/12/18 18:13
S16	75	(balanc\$3 with (arp or (address adj resolution adj protocol)))	US- PGPUB; USPAT	OR	ON	2007/12/18 19:07
S17	21	(balanc\$3 with (arp or (address adj resolution adj protocol))) and "709".clas.	US- PGPUB; USPAT	OR	ON	2007/12/18 19:08
S18	3	(balanc\$3 with (arp or (address adj resolution adj protocol))) and "709".clas. and threshold	US- PGPUB; USPAT	OR	ON	2007/12/18 19:10

1/1/08 12:07:17 AM

C:\Documents and Settings\achoudhury\My Documents\EAST\Workspaces
\azizul10821053.wsp